



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

(switch and "and" and port and "and" and trust and "and" and untrust an...

THE ACM DIGITAL LIBRARY

[Feedback](#)

(switch and "and" and port and "and" and trust and "and" and untrust and "and" and mode)

Terms used: switch and port and trust and untrust and mode

Found 3 of 240,155

Sort results by

[Save results to a Binder](#)

Refine these results with [Advanced Search](#)

Display results

☐ Open results in a new window

Try this search in [The ACM Guide](#)

Results 1 - 3 of 3

1 [STRUDEL: supporting trust in the dynamic establishment of peering](#)

[coalitions](#)

Daniele Quercia, Manish Lad, Stephen Hailes, Licia Capra, Saleem Bhatti
April 2006 SAC '06: Proceedings of the 2006 ACM symposium on Applied computing
Publisher: ACM

Full text available: [pdf\(175.72 KB\)](#) Additional Information: [full citation](#), [abstract](#),
[references](#), [index terms](#)

The Coalition Peering Domain (CPD) is a recent innovation within the field of mesh networking. It facilitates the management of community-area networks in a distributed and scalable form, allowing devices to pool their network resources (particularly ...

Keywords: distributed reputation systems, distributed trust models, mesh networks

2 [OpenDHT: a public DHT service and its uses](#)

Sean Rhea, Brighten Godfrey, Brad Karp, John Kubiatowicz, Sylvia Ratnasamy, Scott Shenker, Ion Stoica, Harlan Yu
October 2005 ACM SIGCOMM Computer Communication Review, Volume 35 Issue 4
Publisher: ACM

Full text available: [pdf\(535.74 KB\)](#) Additional Information: [full citation](#), [abstract](#),
[references](#), [cited by](#), [index terms](#)

Large-scale distributed systems are hard to deploy, and distributed hash tables (DHTs) are no exception. To lower the barriers facing DHT-based applications, we have created a public DHT service called OpenDHT. Designing a DHT that can be widely shared, ...

Keywords: distributed hash table, peer-to-peer, resource allocation

3 [OpenDHT: a public DHT service and its uses](#)



Sean Rhea, Brighten Godfrey, Brad Karp, John Kubiawicz, Sylvia Ratnasamy, Scott Shenker, Ion Stoica, Harlan Yu
August 2005 SIGCOMM '05: Proceedings of the 2005 conference on Applications, technologies, architectures, and protocols for computer communications

Publisher: ACM

Full text available: pdf(535.74 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Large-scale distributed systems are hard to deploy, and distributed hash tables (DHTs) are no exception. To lower the barriers facing DHT-based applications, we have created a public DHT service called OpenDHT. Designing a DHT that can be widely shared, ...

Keywords: distributed hash table, peer-to-peer, resource allocation

Ads by Google

[Philosophy Research](#)

Full-text philosophy books, and articles. Only \$9.95/month. www.Questia.com/Philoso

[Create, Manage Ontologies](#)

Automated classification & improved search and navigation experience www.smartlogic.com

[Live Unified Corporations](#)

This business tool serves everyone the Live, Unified, Fin-Ops facts www.liveunimodels.com

[Algorithm Architects](#)

Complex Algorithm problem? ScienceOps has solutions. www.ScienceOps.com

Results 1 - 3 of 3

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)